




Zero Off-set Holders



Side lever
locking
holders



PDJC R/L1212-K11X

Above figures show right hand tools.



Holder

Cat. No.	Stock		Dimensions (mm)						Applicable Insert	Lever Pin	Set Screw	Pin	Wrench
	R	L	h	b	L ₁	f	h ₁	e					
PDJC R/L1010-K07X	●		10	10	125	10	10	0	DC□T0702	LCL06	BTT0407	LP04	TH020
PDJC R/L1212-K11X	●		12	12	125	15	12	0	DC□T11T3	LCL09	BTT0411	LP07	
PDJC R/L1616-K11X	●		16	16	125	16	16	0	DC□T11T3				

Parts

LCL06	BTT0407	LP04	TH020

Insert selection From D20



Above figures show right hand tools.



Holder

Cat. No.	Stock		Dimensions (mm)						Applicable Insert	Screw	Recommended Tightening Torque (N·m)	Wrench
	R	L	h	b	L ₁	f	h ₁	e				
SDJC R/L1010-H07X	●	●	10	10	100	10	10	0	DC□T0702	BFTX02506N	1.5	TRX08
SDJC R/L1215-K11X	●	●	12	15	125	15	12	0	DC□T11T3	BFTX0409N	3.4	TRX15
SDJC R/L1215-F11X	●	●	12	15	85	15	12	0	DC□T11T3			

Parts

BFTX02506N	TRX08
BFTX0409N	TRX15

Insert selection From D20



Above figures show right hand tools.


Holder

Cat. No.	Stock		Dimensions (mm)						Applicable Insert	Screw	Recommended Tightening Torque (N·m)	Wrench
	R	L	h	b	L ₁	f	h ₁	e				
SDAC R/L1010-H07X	●	●	10	10	100	10	10	0	DC□T0702	BFTX02506N	1.5	TRX08
SDAC R/L1215-K11X	●	●	12	15	125	15	12	0	DC□T11T3	BFTX0409N	3.4	TRX15
SDAC R/L1215-F11X	●	●	12	15	85	15	12	0	DC□T11T3			

Parts

BFTX02506N	TRX08
BFTX0409N	TRX15

Insert selection From D20



Above figures show right hand tools.

Holder

Cat. No.	Stock		Dimensions (mm)						Applicable Insert	Screw	Recommended Tightening Torque (N·m)	Wrench
	R	L	h	b	L ₁	f	h ₁	b ₃				
SDPC R/L1010-H11X	●	●	10	10	100	10	10	10	0	DC□T11T3	BFTX0409N	3.4



Parts

BFTX0409N	TRX15


Insert selection From D20

D


Small Product
Machining



SEC-MINI Tool Holders Zero Off-set Holders



Side lever
locking
holders




Above figures show right hand tools.


Holder

Cat. No.	Stock		Dimensions (mm)						Applicable Insert	Lever Pin	Set Screw	Pin	Wrench
	R	L	h	b	L ₁	f	h ₁	e					
PCLC R/L1010-K06X	●		10	10	125	10	10	0	CC□T0602	LCL06	BTT0407	LP07	TH020
PCLC R/L1212-K09X	●		12	12	125	15	12	0	CC□T09T3	LCL09	BTT0411	LP06	
PCLC R/L1616-K09X	●		16	16	125	16	16	0	CC□T09T3				

Parts



Insert selection From D25



Above figures show right hand tools.



Holder

Cat. No.	Stock		Dimensions (mm)						Applicable Insert	Screw	Recommended Tightening Torque (N·m)	Wrench
	R	L	h	b	L ₁	f	h ₁	e				
SCLC R/L1010-H06X	●	●	10	10	100	10	10	0	CC□T0602	BFTX02506N	1.5	TRX08
SCLC R/L1215-K09X	●	●	12	15	125	15	12	0	CC□T09T3	BFTX0409N	3.4	TRX15
SCLC R/L1215-F09X	●	●	12	15	85	15	12	0	CC□T09T3			

Parts



Insert selection From D25



Above figures show right hand tools.

Holder

Cat. No.	Stock		Dimensions (mm)						Applicable Insert	Screw	Recommended Tightening Torque (N·m)	Wrench
	R	L	h	b	L ₁	f	h ₁	e				
SCAC R/L1010-H06X	●	●	10	10	100	10	10	0	CC□T0602	BFTX02506N	1.5	TRX08
SCAC R/L1215-K09X	●	●	12	15	125	15	12	0	CC□T09T3	BFTX0409N	3.4	TRX15
SCAC R/L1215-F09X	●	●	12	15	85	15	12	0	CC□T09T3			

Parts






Insert selection From D25

85mm Shank

Small Product
Machining

Zero Off-set Holders



■ Holder



Above figures show right hand tools.

Cat. No.	Stock		Dimensions (mm)						Applicable Insert
	R	L	h	b	L ₁	f	h ₁	e	
SVJC R/L1010-H11X	●	●	10	10	100	10	10	0	VC□T1103
SVJC R/L1212-K11X	●	●	12	12	125	12	12	0	VC□T1103
SVJC R/L1212-F11X	●	●	12	12	85	12	12	0	VC□T1103

■ Parts

Screw	(For Torx Holes) Wrench
BFTX02508NV	TRX08

Insert selection D32



■ Holder

Cat. No.	Stock	Dimensions (mm)								Applicable Insert
		h	b	L ₁	f	h ₁	h ₂	b ₃	e	
PTXN R1016-X16X	●	10	16	120	20	10	2	4	0	TN□□1604
PTXN R1216-X16X	●	12	16	120	20	12	0	4	0	TN□□1604
PTXN R1616-X16X	●	16	16	120	20	16	0	4	0	TN□□1604
PTXN R2020-X16X	●	20	20	120	20	20	0	0	0	TN□□1604

■ Parts

Lever Pin	Screw	(For Hexagonal Holes) Wrench
LCL33NT	LCS33NT	LH020NT

Insert selection From B54